






ESPECIFICAÇÕES RIP 9 RDO 29



CORES DISPONÍVEIS



SANTA FÉ SAND



MILITARY GREEN /
CEMENT GREY



SATIN CARBON

Hit the trail without a hit to your wallet. Thanks to SRAM's outstanding SX Eagle drivetrain, we extract every ounce of RIP 9 RDO performance at an affordable price level.

- Nove rodas
- FOX 36 Float Rhythm GRIP EVOL fork, 150mm travel
- Travões de nível SRAM

TAMANHOS DE MOLDURA DISPONÍVEIS	SM, MD, LG, XL	CORES DISPONÍVEIS	SANTA FE SAND OR SATIN CARBON
MOLDURA	NINER RDO CARBON FIBER, 140MM TRAVEL, GEO FLIP CHIP, RIB CAGE CONSTRUCTION, FULL SLEEVE CABLE ROUTING, ENDURO MAX BLACK OXIDE PIVOT BEARINGS	GARFO	FOX 36 FLOAT RHYTHM GRIP EVOL, SWEEP ADJUST, 150MM, 110X15MM, 44MM OFFSET
CHOQUE	FOX FLOAT DPS PERFORMANCE EVOL 3 POSITION	TUBOS / SELANTE	NÃO VEDANTE DE TUBOS SELANTE (2 X 20Z BOTTLES)
RODA DIANTEIRA	NINER ALLOY, 29", 110X15MM FRONT, NINER GRAPHIC	RODA TRASEIRA	NINER ALLOY, 29", 148X12MM REAR, NINER GRAPHIC
PNEU DIANTEIRO	MAXXIS MINION DHF 3C/EXO/TR 2.5 WT FRONT	PNEU TRASEIRO	MAXXIS AGGRESSOR 2C/EXO/TR 2.5 WT REAR
TRAVÕES	NÍVEL SRAM	ALAVANCAS DOS TRAVÕES	NÍVEL SRAM
ROTORES DE FREIO	180/180MM G2CS ROTORS	CORRENTE	SRAM SX EAGLE 12SP
MUDANÇA FRONTAL	N/A	MUDANÇA DE MARCHA TRASEIRA	SRAM SX EAGLE 12SP
DESCARRILADOR DIANTEIRO	N/A	DESCARRILADOR TRASEIRO	SRAM SX EAGLE 12SP
CASSETTE	SRAM PG 1210 11-50T	MANIVELA	SRAM X1 1K EAGLE DUB, 32T
SUPORTE INFERIOR	SRAM DUB BSA THREADED	SELA	NINER CUSTOM TR WITH CR-MO RAILS, PRINTED NINER GRAPHIC
ESPIGÃO DE SELIM	KS LEV SI (S-125MM, M-150MM, L/XL-175MM)	GUIDÃO	RACE FACE AFFECT R 780MM WIDE, 20MM RISE, 35MM CLAMP
TALO	RACE FACE AFFECT R 40MM, 35MM CLAMP	AURICULARES	NINER INTERNAL ZS SHIS DESCRIPTION ZS44/28.6 ZS56/40
GARRAS	NINER GRRRIPS L/O FLANGED	PESO APROXIMADO	

CORES DISPONÍVEIS



SANTA FÉ SAND



MILITARY GREEN /
CEMENT GREY



SATIN CARBON

Expect the best from Shimano's new XT drivetrain. Mated to the RIP 9 RDO frame and FOX Performance Elite suspension, every feature of our most popular full suspension trail bike is fully expressed.

-Rodas DT Swiss M1900
-FOX 36 SC Float Performance Elite FIT 4 EVOL fork w/150mm travel
-Shimano XT 4-piston "trail" brakes

TAMANHOS DE MOLDURA DISPONÍVEIS	SM, MD, LG, XL	CORES DISPONÍVEIS	SANTA FE SAND OR SATIN CARBON
MOLDURA	NINER RDO CARBON FIBER, 140MM TRAVEL, GEO FLIP CHIP, RIB CAGE CONSTRUCTION, FULL SLEEVE CABLE ROUTING, ENDURO MAX BLACK OXIDE PIVOT BEARINGS	GARFO	FOX 36 FLOAT PERFORMANCE ELITE FIT 4 EVOL, 3 POSITION W/ ADJ, 150MM, 110X15MM, 44MM OFFSET
CHOQUE	FOX FLOAT DPX2 PERFORMANCE EVOL 3 POSITION	TUBOS / SELANTE	NÃO VEDANTE DE TUBOS SELANTE (2 X 20Z BOTTLES)
RODA DIANTEIRA	DT SWISS M1900 SPLINE 30, 29", DT370 CENTERLOCK HUB 110X15MM FRONT	RODA TRASEIRA	DT SWISS M1900 SPLINE 30, 29", DT370 CENTERLOCK HUB 148X12MM REAR
PNEU DIANTEIRO	MAXXIS MINION DHF 3C/EXO/TR 2.5 WT FRONT	PNEU TRASEIRO	MAXXIS AGGRESSOR 2C/EXO/TR 2.5 WT REAR
TRAVÕES	SHIMANO XT M8100, ALMOFADA DE METAL C/ BARBATANA	ALAVANCAS DOS TRAVÕES	SHIMANO XT M8100
ROTORES DE FREIO	180/180MM SM-RT70 ROTORS	CORRENTE	SHIMANO SLX M7100 C/ QUICKLINK
MUDANÇA FRONTAL	N/A	MUDANÇA DE MARCHA TRASEIRA	SHIMANO XT M8100 12SP I-SPEC EV
DESCARRILADOR DIANTEIRO	N/A	DESCARRILADOR TRASEIRO	SHIMANO XT M8100 SGS 12SP
CASSETE	SHIMANO SLX M7100 12SP, 10-51T	MANIVELA	TURBINA PARA PISTA 12SP, 32T
SUORTE INFERIOR	RACEFACE THREADED	SELA	NINER CUSTOM TR WITH CR-MO RAILS, PRINTED NINER GRAPHIC
ESPIGÃO DE SELIM	KS LEV SI (S-125MM, M-150MM, L/XL-175MM)	GUIDÃO	RACE FACE AEFFECT R 780MM WIDE, 20MM RISE, 35MM CLAMP
TALO	RACE FACE AEFFECT R 40MM, 35MM CLAMP	AURICULARES	NINER INTERNAL ZS SHIS DESCRIPTION ZS44/28.6 ZS56/40
GARRAS	NINER GRRRIPS L/O FLANGED	PESO APROXIMADO	

CORES DISPONÍVEIS



SANTA FÉ SAND



MILITARY GREEN /
CEMENT GREY



SATIN CARBON

This 4-Star RIP 9 RDO is dressed for success with a Shimano XT drivetrain, FOX Factory suspension, and DT Swiss M1900 wheels. No excuses - get out and ride!

-Rodas DT Swiss M1900
-FOX 36 Float Factory FIT 4 EVOL fork w/Kashima coat, 150mm travel
-Shimano XT 4-piston "trail" brakes

TAMANHOS DE MOLDURA DISPONÍVEIS	SM, MD, LG, XL	CORES DISPONÍVEIS	SANTA FE SAND OR SATIN CARBON
MOLDURA	NINER RDO CARBON FIBER, 140MM TRAVEL, GEO FLIP CHIP, RIB CAGE CONSTRUCTION, FULL SLEEVE CABLE ROUTING, ENDURO MAX BLACK OXIDE PIVOT BEARINGS	GARFO	FOX 36 FACTORY FLOAT EVOL, FIT GRIP2, HSC/LSC, KASHIMA COAT, 150MM, 110X15MM, 44MM OFFSET
CHOQUE	FOX FLOAT DPX2 FACTORY EVOL 3 POSITION W/ ADJUST, KASHIMA COAT	TUBOS / SELANTE	NÃO VEDANTE DE TUBOS SELANTE (2 X 20Z BOTTLES)
RODA DIANTEIRA	DT SWISS M1900 SPLINE 30, 29", DT370 CENTERLOCK HUB 110X15MM FRONT	RODA TRASEIRA	DT SWISS M1900 SPLINE 30, 29", DT370 CENTERLOCK HUB 148X12MM REAR
PNEU DIANTEIRO	MAXXIS MINION DHF 3C/EXO/TR 2.5 WT FRONT	PNEU TRASEIRO	MAXXIS AGGRESSOR 2C/EXO/TR 2.5 WT REAR
TRAVÕES	SHIMANO XT M8100, ALMOFADA DE METAL C/ BARBATANA	ALAVANCAS DOS TRAVÕES	SHIMANO XT M8100
ROTORES DE FREIO	180/180 MT800 ROTORS	CORRENTE	SHIMANO XT M8100 C/ QUICKLINK
MUDANÇA FRONTAL	N/A	MUDANÇA DE MARCHA TRASEIRA	SHIMANO XT M8100 12SP I-SPEC EV
DESCARRILADOR DIANTEIRO	N/A	DESCARRILADOR TRASEIRO	SHIMANO XT M8100 SGS 12SP
CASSETE	SHIMANO XT M8100 12SP, 10-51T	MANIVELA	RACEFACE PRÓXIMO R R CARBONO 12SP, 32T
SUORTE INFERIOR	RACEFACE THREADED	SELA	NINER CUSTOM WITH CRN-TI RAILS, PRINTED NINER GRAPHIC
ESPIGÃO DE SELIM	KS LEV SI (S-125MM, M-150MM, L/XL-175MM)	GUIDÃO	RACE FACE NEXT R 800MM WIDE, 20MM RISE, 35MM CLAMP
TALO	RACE FACE TURBINE R 40MM, 35MM CLAMP	AURICULARES	NINER INTERNAL ZS SHIS DESCRIPTION ZS44/28.6 ZS56/40
GARRAS	NINER GRRRIPS L/O FLANGED	PESO APROXIMADO	30 LBS

CORES DISPONÍVEIS



SANTA FÉ SAND



MILITARY GREEN /
CEMENT GREY



SATIN CARBON

Our top of the line RIP 9 RDO frame meets the best parts kit available. Roll lighter and faster, go farther and stay out longer on DT Swiss XMC 1200 carbon wheels and premium SRAM components.

- DT Swiss XMC 1200 carbon wheels
- FOX 36 Float Factory FIT 4 EVOL fork, 150mm travel
- Race Face bar and stem

TAMANHOS DE MOLDURA DISPONÍVEIS	SM, MD, LG, XL	CORES DISPONÍVEIS	SANTA FE SAND OR SATIN CARBON
MOLDURA	NINER RDO CARBON FIBER, 140MM TRAVEL, GEO FLIP CHIP, RIB CAGE CONSTRUCTION, FULL SLEEVE CABLE ROUTING, ENDURO MAX BLACK OXIDE PIVOT BEARINGS	GARFO	FOX 36 FACTORY FLOAT EVOL, FIT GRIP2, HSC/LSC, KASHIMA COAT, 150MM, 110X15MM, 44MM OFFSET
CHOQUE	FOX FLOAT DPX2 FACTORY EVOL 3 POSITION W/ ADJUST, KASHIMA COAT	TUBOS / SELANTE	NÃO VEDANTE DE TUBOS SELANTE (2 X 20Z BOTTLES)
RODA DIANTEIRA	DT SWISS XMC 1200, 6 BOLT, 29", 110X15MM FRONT	RODA TRASEIRA	DT SWISS XMC 1200, 6 BOLT, 29", 148X12MM REAR
PNEU DIANTEIRO	MAXXIS MINION DHF 3C/EXO/TR 2.5 WT FRONT	PNEU TRASEIRO	MAXXIS AGGRESSOR 2C/EXO/TR 2.5 WT REAR
TRAVÕES	SRAM G2 RSC	ALAVANCAS DOS TRAVÕES	SRAM G2 RSC
ROTORES DE FREIO	180/180 CENTERLINE ROTORS	CORRENTE	SRAM X01 EAGLE 12SP
MUDANÇA FRONTAL	N/A	MUDANÇA DE MARCHA TRASEIRA	SRAM X01 EAGLE 12SP
DESCARRILADOR DIANTEIRO	N/A	DESCARRILADOR TRASEIRO	SRAM X01 EAGLE 12SP
CASSETE	SRAM EAGLE XG 1295, 10-50T	MANIVELA	SRAM X1 EAGLE CARBON DUB 32T CNC RING
SUPORTE INFERIOR	SRAM DUB BSA THREADED	SELA	NINER CUSTOM TR WITH CRN-TI RAILS, PRINTED NINER GRAPHIC
ESPIGÃO DE SELIM	KS LEV SI (S-125MM, M-150MM, L/XL-175MM)	GUIDÃO	RACE FACE NEXT R 800MM WIDE, 20MM RISE, 35MM CLAMP
TALO	RACE FACE TURBINE R 40MM, 35MM CLAMP	AURICULARES	NINER INTERNAL ZS SHIS DESCRIPTION ZS44/28.6 ZS56/40
GARRAS	NINER GRRRIPS L/O FLANGED	PESO APROXIMADO	

CORES DISPONÍVEIS



SANTA FÉ SAND



MILITARY GREEN /
CEMENT GREY



SATIN CARBON

Add SRAM AXS wireless electronic shifting, DT Swiss XMC carbon wheels, and a FOX 36 fork to our flagship trail bike, and you're ready for takeoff. This RIP is light, fast, and tough.

-DT Swiss XMC 1200 carbon wheels
-Wireless electronic SRAM X01 Eagle AXS shifting
-FOX 36 Float Factory FIT 4 EVOL fork, 150mm travel

TAMANHOS DE MOLDURA DISPONÍVEIS	SM, MD, LG, XL	CORES DISPONÍVEIS	SANTA FE SAND OR SATIN CARBON
MOLDURA	NINER RDO CARBON FIBER, 140MM TRAVEL, GEO FLIP CHIP, RIB CAGE CONSTRUCTION, FULL SLEEVE CABLE ROUTING, ENDURO MAX BLACK OXIDE PIVOT BEARINGS	GARFO	FOX 36 FACTORY FLOAT EVOL, FIT GRIP2, HSC/LSC, KASHIMA COAT, 150MM, 110X15MM, 44MM OFFSET
CHOQUE	FOX FLOAT DPX2 FACTORY EVOL 3 POSITION W/ ADJUST, KASHIMA COAT	TUBOS / SELANTE	NÃO VEDANTE DE TUBOS SELANTE (2 X 20Z BOTTLES)
RODA DIANTEIRA	DT SWISS XMC 1200, 6 BOLT, 29", 110X15MM FRONT	RODA TRASEIRA	DT SWISS XMC 1200, 6 BOLT, 29", 148X12MM REAR
PNEU DIANTEIRO	MAXXIS MINION DHF 3C/EXO/TR 2.5 WT FRONT	PNEU TRASEIRO	MAXXIS AGGRESSOR 2C/EXO/TR 2.5 WT REAR
TRAVÕES	SRAM G2 ULTIMATE	ALAVANCAS DOS TRAVÕES	SRAM G2 ULTIMATE
ROTORES DE FREIO	180/180 CENTERLINE X ROTORS	CORRENTE	SRAM XX1 ÁGUA 12SP ARCO-ÍRIS
MUDANÇA FRONTAL	N/A	MUDANÇA DE MARCHA TRASEIRA	SRAM EIXOS EAGLE 12SP ÁGUA
DESCARRILADOR DIANTEIRO	N/A	DESCARRILADOR TRASEIRO	SRAM X01 AXS EAGLE 12SP
CASSETTE	SRAM EAGLE XG 1299, 10-50T ARCO-ÍRIS	MANIVELA	SRAM X1 EAGLE CARBON DUB, 32T
SUPORTE INFERIOR	SRAM DUB BSA THREADED	SELA	NINER CUSTOM TR WITH CRN-TI RAILS, PRINTED NINER GRAPHIC
ESPIGÃO DE SELIM	KS LEV SI (S-125MM, M-150MM, L/XL-175MM)	GUIDÃO	RACE FACE NEXT R 800MM WIDE, 20MM RISE, 35MM CLAMP
TALO	RACE FACE TURBINE R 40MM, 35MM CLAMP	AURICULARES	NINER INTERNAL ZS SHIS DESCRIPTION ZS44/28.6 ZS56/40
GARRAS	NINER GRRRIPS L/O FLANGED	PESO APROXIMADO	

CORES DISPONÍVEIS



SANTA FÉ SAND



MILITARY GREEN /
CEMENT GREY



SATIN CARBON

Shimano's best component group joins Niner's most capable trail bike in this limited edition parts selection. With DT Swiss XMC carbon wheels, a FOX fork with GRIP 2 damper, and Race Face NEXT R carbon cranks, it's light, fast, and tough.

- DT Swiss XMC 1200 carbon wheels
- Race Face NEXT R carbon cranks
- Shimano XTR M900 4-piston "Trail" brakes

TAMANHOS DE MOLDURA DISPONÍVEIS	SM, MD, LG, XL	CORES DISPONÍVEIS	SANTA FE SAND OR SATIN CARBON
MOLDURA	NINER RDO CARBON FIBER, 140MM TRAVEL, GEO FLIP CHIP, RIB CAGE CONSTRUCTION, FULL SLEEVE CABLE ROUTING, ENDURO MAX BLACK OXIDE PIVOT BEARINGS	GARFO	FOX 36 FACTORY FLOAT EVOL, FIT GRIP2, HSC/LSC, KASHIMA COAT, 150MM, 110X15MM, 44MM OFFSET
CHOQUE	FOX FLOAT DPX2 FACTORY EVOL 3 POSITION W/ ADJUST, KASHIMA COAT	TUBOS / SELANTE	NÃO VEDANTE DE TUBOS SELANTE (2 X 20Z BOTTLES)
RODA DIANTEIRA	DT SWISS XMC 1200, CENTERLOCK, 29", 110X15MM FRONT	RODA TRASEIRA	DT SWISS XMC 1200, CENTERLOCK, 29", 148X12MM REAR
PNEU DIANTEIRO	MAXXIS MINION DHF 3C/EXO/TR 2.5 WT FRONT	PNEU TRASEIRO	MAXXIS AGGRESSOR 2C/EXO/TR 2.5 WT REAR
TRAVÕES	SHIMANO XTR M9120	ALAVANCAS DOS TRAVÕES	SHIMANO XTR M9120
ROTORES DE FREIO	180/180 MT900 ROTORS	CORRENTE	SHIMANO XTR M9100 C/ QUICKLINK
MUDANÇA FRONTAL	N/A	MUDANÇA DE MARCHA TRASEIRA	SHIMANO XTR M9100 12SP I-SPEC EV I-SPEC
DESCARRILADOR DIANTEIRO	SHIMANO SM-CD800 CHAIN GUIDE	DESCARRILADOR TRASEIRO	SHIMANO XTR M9100 SGS 12SP
CASSETTE	SHIMANO XTR M9100 12SP, 10-51T	MANIVELA	RACEFACE PRÓXIMO R R CARBONO 12SP, 32T
SUPORTE INFERIOR	RACEFACE THREADED	SELA	NINER CUSTOM TR WITH CRN-TI RAILS, PRINTED NINER GRAPHIC
ESPIGÃO DE SELIM	KS LEV SI (S-125MM, M-150MM, L/XL-175MM)	GUIDÃO	RACE FACE NEXT R 800MM WIDE, 20MM RISE, 35MM CLAMP
TALO	RACE FACE TURBINE R 40MM, 35MM CLAMP	AURICULARES	NINER INTERNAL ZS SHIS DESCRIPTION ZS44/28.6 ZS56/40
GARRAS	NINER GRRRIPS L/O FLANGED	PESO APROXIMADO	